WHAT IS CLAIMED IS:

1. A process for monitoring web pages comprising the steps of:

selectively interrogating a web page in response to a preselected mode, wherein said web page includes at least one portion dynamically generated in response to client data;

said step of selectively interrogating said web page including the steps of:

listing a set of hooks corresponding to at least a portion of said client data, wherein each hook of said set of hooks comprises an alternative entry of a method for performing an action on said client data; and

passing said at least a portion of said client data to corresponding methods using hooks in said set of hooks and wherein a web page is not returned to a client in response to said step of passing said at least a portion of said client data.

2. The process of claim 1 further comprising the step of determining said preselected mode in response to a configuration value.

3. The process of claim 1 wherein said step of interrogating said web page further comprises the step of detecting a web page error in response to said step of passing said at least a portion of said data values.

4. The process of claim 3 wherein said step of detecting said web page error comprises the step of receiving a predetermined return value from at least one of said corresponding methods, said predetermined return value indicating a failure of said at least one of said corresponding methods.

5. The process of claim 3 wherein said step of detecting said web page error comprises detecting an exception thrown by said at least one of said corresponding methods.

6. The process of claim 1 wherein said step of interrogating said web page further comprises the step of executing said corresponding methods in response to said step of said at least a portion of said client data.

7. The process of claim 6 wherein said corresponding methods comprise methods written in the Java programming language, and wherein said web page comprises a Java Server Page (JSP).

8. The process of claim 4 further comprising the step of providing an indicator in response to said step of detecting said web page error, said indicator including one or more erroneous data values generating said web page error.

9. The process of claim 1 wherein said preselected mode comprises monitoring said web page in response to input received from a web client.

10. The process of claim 1 wherein said preselected mode comprises recurrently monitoring said web page, and wherein said client data is retrieved from a database.

11. A data processing system for monitoring web pages comprising:

circuitry operable for selectively interrogating a web page in response to a preselected mode, wherein said web page includes at least one portion dynamically generated in response to client data;

said circuitry operable for selectively interrogating said web page including:

circuitry operable for listing a set of hooks corresponding to at least a portion of said client data, wherein each hook of said set of hooks comprises an alternative entry of a method for performing an action on said client data; and

circuitry operable for passing, using hooks in said set of hooks, said at least a portion of said client data to corresponding methods and wherein a web page is not returned to a client in response to said step of passing said at least a portion of said client data.

12. The system of claim 11 wherein said process further comprises the step of determining said preselected mode in response to a configuration value.

13. The system of claim 11 wherein said circuitry operable for interrogating said web page further comprises circuitry operable for detecting a web page error in response to said step of passing said at least a portion of said data values.

14. The system of claim 13 wherein said circuitry operable for detecting said web page error comprises circuitry operable for receiving a predetermined return value from at least one of said corresponding methods, said predetermined return value indicating a failure of said at least one of said corresponding methods.

15. The system of claim 13 wherein circuitry operable for detecting said web page error comprises detecting an exception thrown by said at least one of said corresponding methods.

16. The system of claim 11 wherein said circuitry operable for interrogating said web page further comprises circuitry operable for executing said corresponding methods in response to said step of said at least a portion of said client data.

17. The system of claim 16 wherein said corresponding methods comprise methods written in the Java programming language, and wherein said web page comprises a Java Server Page (JSP).

18. The system of claim 14 further comprising circuitry operable for providing an indicator in response to said step of detecting said web page error, said indicator including one or more erroneous data values generating said web page error.

19. The system of claim 11 wherein said preselected mode comprises monitoring said web page in response to input received from a web client.

20. The system of claim 11 wherein said preselected mode comprises recurrently monitoring said web page, and wherein said client data is retrieved from a database.

21. A computer program product embodied in a tangible storage medium, the program for monitoring web pages comprising a program of instructions for performing the process steps of:

selectively interrogating a web page in response to a preselected mode, wherein said web page includes at least one portion dynamically generated in response to client data;

said step of selectively interrogating said web page including the steps of:

listing a set of hooks corresponding to at least a portion of said client data, wherein each hook of said set of hooks comprises an alternative entry of a method for performing an action on said client data; and

passing, using hooks in said set of hooks, said at least a portion of said client data to corresponding methods and wherein a web page is not returned to a client in response to said step of passing said at least a portion of said client data.

22. The program product of claim 21 further comprising programming instructions for performing the step of determining said preselected mode in response to a configuration value.

23. The program product of claim 21 wherein said programming instructions for performing the step of interrogating said web page further comprises programming instructions for performing the step of detecting a web page error in response to said step of passing said at least a portion of said data values.

24. The program product of claim 23 wherein said programming instructions for performing the step of detecting said web page error comprises programming instructions for performing the step of receiving a predetermined return value from at least one of said corresponding methods, said predetermined return value indicating a failure of said at least one of said corresponding methods.

25. The program product of claim 23 wherein said programming instructions for performing the step of detecting said web page error comprises programming instructions for performing the step of detecting an exception thrown by said at least one of said corresponding methods.

26. The program product of claim 21 wherein said programming instructions for performing the step of interrogating said web page further comprises programming instructions for performing the step of executing said corresponding methods in response to said step of said at least a portion of said client data.

27. The program product of claim 26 wherein said corresponding methods comprise methods written in the Java programming language, and wherein said web page comprises a Java Server Page (JSP).

28. The program product of claim 24 further comprising programming instructions for performing the step of providing an indicator in response to said programming instructions for performing the step of detecting said web page error, said indicator including one or more erroneous data values generating said web page error.

29. The program product of claim 21 wherein said preselected mode comprises monitoring said web page in response to input received from a web client.

30. The program product of claim 21 wherein said preselected mode comprises recurrently monitoring said web page, and wherein said client data is retrieved from a database.

Document: 2001-0276-US1